

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS
 Condition Variable High_Vasc_Age

Common Rates and Indices for each Cutoff Value

Criterion Variable: ModelZs

Estimated Prevalence = 26 / 117 = 0.2222

Estimated Prevalence is the proportion of the sample with a positive condition of 1, or $(A + C) / (A + B + C + D)$ for all cutoff values. The estimated prevalence should only be used as a valid estimate of the population prevalence when the entire sample is a random sample of the population.

Cutoff Value	----- Table Counts -----				TPR (Sens.)	TNR (Spec.)	PPV	Accur-acy	TPR + TNR
	TPs A	FPs B	FNs C	TNs D					
≥ 0.48	26	91	0	0	1.0000	0.0000	0.2222	0.2222	1.0000
≥ 0.57	26	90	0	1	1.0000	0.0110	0.2241	0.2308	1.0110
≥ 0.62	26	89	0	2	1.0000	0.0220	0.2261	0.2393	1.0220
≥ 0.69	26	88	0	3	1.0000	0.0330	0.2281	0.2479	1.0330
≥ 0.70	26	87	0	4	1.0000	0.0440	0.2301	0.2564	1.0440
≥ 0.72	26	86	0	5	1.0000	0.0549	0.2321	0.2650	1.0549
≥ 0.73	26	85	0	6	1.0000	0.0659	0.2342	0.2735	1.0659
≥ 0.79	26	84	0	7	1.0000	0.0769	0.2364	0.2821	1.0769
≥ 0.79	26	83	0	8	1.0000	0.0879	0.2385	0.2906	1.0879
≥ 0.80	26	82	0	9	1.0000	0.0989	0.2407	0.2991	1.0989
≥ 0.80	26	81	0	10	1.0000	0.1099	0.2430	0.3077	1.1099
≥ 0.82	26	80	0	11	1.0000	0.1209	0.2453	0.3162	1.1209
≥ 0.83	26	79	0	12	1.0000	0.1319	0.2476	0.3248	1.1319
≥ 0.85	26	78	0	13	1.0000	0.1429	0.2500	0.3333	1.1429
≥ 0.85	26	77	0	14	1.0000	0.1538	0.2524	0.3419	1.1538
≥ 0.86	26	76	0	15	1.0000	0.1648	0.2549	0.3504	1.1648
≥ 0.87	26	75	0	16	1.0000	0.1758	0.2574	0.3590	1.1758
≥ 0.91	26	74	0	17	1.0000	0.1868	0.2600	0.3675	1.1868
≥ 0.91	26	73	0	18	1.0000	0.1978	0.2626	0.3761	1.1978
≥ 0.92	26	72	0	19	1.0000	0.2088	0.2653	0.3846	1.2088
≥ 0.92	26	71	0	20	1.0000	0.2198	0.2680	0.3932	1.2198
≥ 0.93	26	70	0	21	1.0000	0.2308	0.2708	0.4017	1.2308
≥ 0.95	26	69	0	22	1.0000	0.2418	0.2737	0.4103	1.2418
≥ 0.95	25	69	1	22	0.9615	0.2418	0.2660	0.4017	1.2033
≥ 0.98	25	68	1	23	0.9615	0.2527	0.2688	0.4103	1.2143
≥ 0.99	25	67	1	24	0.9615	0.2637	0.2717	0.4188	1.2253
≥ 1.01	25	66	1	25	0.9615	0.2747	0.2747	0.4274	1.2363
≥ 1.02	25	65	1	26	0.9615	0.2857	0.2778	0.4359	1.2473
≥ 1.02	25	64	1	27	0.9615	0.2967	0.2809	0.4444	1.2582
≥ 1.03	25	63	1	28	0.9615	0.3077	0.2841	0.4530	1.2692
≥ 1.03	25	62	1	29	0.9615	0.3187	0.2874	0.4615	1.2802
≥ 1.04	25	61	1	30	0.9615	0.3297	0.2907	0.4701	1.2912
≥ 1.04	25	60	1	31	0.9615	0.3407	0.2941	0.4786	1.3022
≥ 1.04	25	59	1	32	0.9615	0.3516	0.2976	0.4872	1.3132
≥ 1.04	25	58	1	33	0.9615	0.3626	0.3012	0.4957	1.3242
≥ 1.04	25	57	1	34	0.9615	0.3736	0.3049	0.5043	1.3352
≥ 1.04	25	56	1	35	0.9615	0.3846	0.3086	0.5128	1.3462
≥ 1.05	25	55	1	36	0.9615	0.3956	0.3125	0.5214	1.3571
≥ 1.06	25	54	1	37	0.9615	0.4066	0.3165	0.5299	1.3681
≥ 1.07	25	53	1	38	0.9615	0.4176	0.3205	0.5385	1.3791
≥ 1.07	25	52	1	39	0.9615	0.4286	0.3247	0.5470	1.3901
≥ 1.08	25	51	1	40	0.9615	0.4396	0.3289	0.5556	1.4011
≥ 1.08	25	50	1	41	0.9615	0.4505	0.3333	0.5641	1.4121
≥ 1.09	24	50	2	41	0.9231	0.4505	0.3243	0.5556	1.3736

2020 Determinants of CCIMT Study: Mantha et al

≥ 1.10	24	49	2	42	0.9231	0.4615	0.3288	0.5641	1.3846
≥ 1.10	24	48	2	43	0.9231	0.4725	0.3333	0.5726	1.3956
≥ 1.10	24	47	2	44	0.9231	0.4835	0.3380	0.5812	1.4066
≥ 1.11	24	46	2	45	0.9231	0.4945	0.3429	0.5897	1.4176
≥ 1.11	24	45	2	46	0.9231	0.5055	0.3478	0.5983	1.4286
≥ 1.11	24	44	2	47	0.9231	0.5165	0.3529	0.6068	1.4396
≥ 1.12	24	43	2	48	0.9231	0.5275	0.3582	0.6154	1.4505
≥ 1.12	24	42	2	49	0.9231	0.5385	0.3636	0.6239	1.4615
≥ 1.13	23	42	3	49	0.8846	0.5385	0.3538	0.6154	1.4231
≥ 1.15	23	41	3	50	0.8846	0.5495	0.3594	0.6239	1.4341
≥ 1.15	23	40	3	51	0.8846	0.5604	0.3651	0.6325	1.4451
≥ 1.15	23	39	3	52	0.8846	0.5714	0.3710	0.6410	1.4560
≥ 1.15	23	38	3	53	0.8846	0.5824	0.3770	0.6496	1.4670
≥ 1.16	23	37	3	54	0.8846	0.5934	0.3833	0.6581	1.4780
≥ 1.17	23	36	3	55	0.8846	0.6044	0.3898	0.6667	1.4890
≥ 1.17	23	35	3	56	0.8846	0.6154	0.3966	0.6752	1.5000
≥ 1.18	23	34	3	57	0.8846	0.6264	0.4035	0.6838	1.5110
≥ 1.18	23	33	3	58	0.8846	0.6374	0.4107	0.6923	1.5220
≥ 1.19	23	32	3	59	0.8846	0.6484	0.4182	0.7009	1.5330
≥ 1.20	23	31	3	60	0.8846	0.6593	0.4259	0.7094	1.5440
≥ 1.20	22	31	4	60	0.8462	0.6593	0.4151	0.7009	1.5055
≥ 1.21	22	30	4	61	0.8462	0.6703	0.4231	0.7094	1.5165
≥ 1.22	22	29	4	62	0.8462	0.6813	0.4314	0.7179	1.5275
≥ 1.22	21	29	5	62	0.8077	0.6813	0.4200	0.7094	1.4890
≥ 1.24	21	28	5	63	0.8077	0.6923	0.4286	0.7179	1.5000
≥ 1.25	20	28	6	63	0.7692	0.6923	0.4167	0.7094	1.4615
≥ 1.25	20	27	6	64	0.7692	0.7033	0.4255	0.7179	1.4725
≥ 1.26	20	26	6	65	0.7692	0.7143	0.4348	0.7265	1.4835
≥ 1.27	19	26	7	65	0.7308	0.7143	0.4222	0.7179	1.4451
≥ 1.27	19	25	7	66	0.7308	0.7253	0.4318	0.7265	1.4560
≥ 1.28	19	24	7	67	0.7308	0.7363	0.4419	0.7350	1.4670
≥ 1.28	19	23	7	68	0.7308	0.7473	0.4524	0.7436	1.4780
≥ 1.29	19	22	7	69	0.7308	0.7582	0.4634	0.7521	1.4890
≥ 1.33	19	21	7	70	0.7308	0.7692	0.4750	0.7607	1.5000
≥ 1.34	19	20	7	71	0.7308	0.7802	0.4872	0.7692	1.5110
≥ 1.34	18	20	8	71	0.6923	0.7802	0.4737	0.7607	1.4725
≥ 1.35	18	19	8	72	0.6923	0.7912	0.4865	0.7692	1.4835
≥ 1.36	18	18	8	73	0.6923	0.8022	0.5000	0.7778	1.4945
≥ 1.37	17	18	9	73	0.6538	0.8022	0.4857	0.7692	1.4560
≥ 1.39	16	18	10	73	0.6154	0.8022	0.4706	0.7607	1.4176
≥ 1.41	16	17	10	74	0.6154	0.8132	0.4848	0.7692	1.4286
≥ 1.42	16	16	10	75	0.6154	0.8242	0.5000	0.7778	1.4396
≥ 1.45	15	16	11	75	0.5769	0.8242	0.4839	0.7692	1.4011
≥ 1.45	14	16	12	75	0.5385	0.8242	0.4667	0.7607	1.3626
≥ 1.47	14	15	12	76	0.5385	0.8352	0.4828	0.7692	1.3736
≥ 1.52	14	14	12	77	0.5385	0.8462	0.5000	0.7778	1.3846
≥ 1.53	14	13	12	78	0.5385	0.8571	0.5185	0.7863	1.3956
≥ 1.54	14	12	12	79	0.5385	0.8681	0.5385	0.7949	1.4066
≥ 1.55	13	12	13	79	0.5000	0.8681	0.5200	0.7863	1.3681
≥ 1.57	12	12	14	79	0.4615	0.8681	0.5000	0.7778	1.3297
≥ 1.59	12	11	14	80	0.4615	0.8791	0.5217	0.7863	1.3407
≥ 1.66	12	10	14	81	0.4615	0.8901	0.5455	0.7949	1.3516
≥ 1.69	12	9	14	82	0.4615	0.9011	0.5714	0.8034	1.3626
≥ 1.71	11	9	15	82	0.4231	0.9011	0.5500	0.7949	1.3242
≥ 1.72	11	8	15	83	0.4231	0.9121	0.5789	0.8034	1.3352
≥ 1.77	10	8	16	83	0.3846	0.9121	0.5556	0.7949	1.2967
≥ 1.80	10	7	16	84	0.3846	0.9231	0.5882	0.8034	1.3077
≥ 1.87	9	7	17	84	0.3462	0.9231	0.5625	0.7949	1.2692
≥ 1.89	8	7	18	84	0.3077	0.9231	0.5333	0.7863	1.2308
≥ 1.91	7	7	19	84	0.2692	0.9231	0.5000	0.7778	1.1923
≥ 1.92	6	7	20	84	0.2308	0.9231	0.4615	0.7692	1.1538

2020 Determinants of CCIMT Study: Mantha et al

≥ 1.98	6	6	20	85	0.2308	0.9341	0.5000	0.7778	1.1648
≥ 2.04	5	6	21	85	0.1923	0.9341	0.4545	0.7692	1.1264
≥ 2.04	5	5	21	86	0.1923	0.9451	0.5000	0.7778	1.1374
≥ 2.12	5	4	21	87	0.1923	0.9560	0.5556	0.7863	1.1484
≥ 2.13	4	4	22	87	0.1538	0.9560	0.5000	0.7778	1.1099
≥ 2.15	4	3	22	88	0.1538	0.9670	0.5714	0.7863	1.1209
≥ 2.24	4	2	22	89	0.1538	0.9780	0.6667	0.7949	1.1319
≥ 2.24	3	2	23	89	0.1154	0.9780	0.6000	0.7863	1.0934
≥ 2.26	2	2	24	89	0.0769	0.9780	0.5000	0.7778	1.0549
≥ 2.26	1	2	25	89	0.0385	0.9780	0.3333	0.7692	1.0165
≥ 2.44	1	1	25	90	0.0385	0.9890	0.5000	0.7778	1.0275
≥ 2.64	1	0	25	91	0.0385	1.0000	1.0000	0.7863	1.0385

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS
Condition Variable High_Vasc_Age

Definitions:

Cutoff Value indicates the criterion value range that predicts a positive condition.

A is the number of True Positives.

B is the number of False Positives.

C is the number of False Negatives.

D is the number of True Negatives.

TPR is the True Positive Rate or Sensitivity = $A / (A + C)$.

TNR is the True Negative Rate or Specificity = $D / (B + D)$.

PPV is the Positive Predictive Value or Precision = $A / (A + B)$.

Accuracy is the Proportion Correctly Classified = $(A + D) / (A + B + C + D)$.

TPR + TNR is the Sensitivity + Specificity.

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS

Condition Variable High_Vasc_Age

Counts, TPR, TNR, FNR, FPR

Criterion Variable: ModelZs

Cutoff Value	----- Table Counts -----				TPR (Sens.)	TNR (Spec.)	FNR (Miss)	FPR (Fall-out)
	TPs A	FPs B	FNs C	TNs D				
≥ 0.48	26	91	0	0	1.0000	0.0000	0.0000	1.0000
≥ 0.57	26	90	0	1	1.0000	0.0110	0.0000	0.9890
≥ 0.62	26	89	0	2	1.0000	0.0220	0.0000	0.9780
≥ 0.69	26	88	0	3	1.0000	0.0330	0.0000	0.9670
≥ 0.70	26	87	0	4	1.0000	0.0440	0.0000	0.9560
≥ 0.72	26	86	0	5	1.0000	0.0549	0.0000	0.9451
≥ 0.73	26	85	0	6	1.0000	0.0659	0.0000	0.9341
≥ 0.79	26	84	0	7	1.0000	0.0769	0.0000	0.9231
≥ 0.79	26	83	0	8	1.0000	0.0879	0.0000	0.9121
≥ 0.80	26	82	0	9	1.0000	0.0989	0.0000	0.9011
≥ 0.80	26	81	0	10	1.0000	0.1099	0.0000	0.8901
≥ 0.82	26	80	0	11	1.0000	0.1209	0.0000	0.8791
≥ 0.83	26	79	0	12	1.0000	0.1319	0.0000	0.8681
≥ 0.85	26	78	0	13	1.0000	0.1429	0.0000	0.8571
≥ 0.85	26	77	0	14	1.0000	0.1538	0.0000	0.8462
≥ 0.86	26	76	0	15	1.0000	0.1648	0.0000	0.8352
≥ 0.87	26	75	0	16	1.0000	0.1758	0.0000	0.8242
≥ 0.91	26	74	0	17	1.0000	0.1868	0.0000	0.8132
≥ 0.91	26	73	0	18	1.0000	0.1978	0.0000	0.8022
≥ 0.92	26	72	0	19	1.0000	0.2088	0.0000	0.7912
≥ 0.92	26	71	0	20	1.0000	0.2198	0.0000	0.7802
≥ 0.93	26	70	0	21	1.0000	0.2308	0.0000	0.7692
≥ 0.95	26	69	0	22	1.0000	0.2418	0.0000	0.7582
≥ 0.95	25	69	1	22	0.9615	0.2418	0.0385	0.7582
≥ 0.98	25	68	1	23	0.9615	0.2527	0.0385	0.7473
≥ 0.99	25	67	1	24	0.9615	0.2637	0.0385	0.7363
≥ 1.01	25	66	1	25	0.9615	0.2747	0.0385	0.7253
≥ 1.02	25	65	1	26	0.9615	0.2857	0.0385	0.7143
≥ 1.02	25	64	1	27	0.9615	0.2967	0.0385	0.7033
≥ 1.03	25	63	1	28	0.9615	0.3077	0.0385	0.6923
≥ 1.03	25	62	1	29	0.9615	0.3187	0.0385	0.6813
≥ 1.04	25	61	1	30	0.9615	0.3297	0.0385	0.6703
≥ 1.04	25	60	1	31	0.9615	0.3407	0.0385	0.6593
≥ 1.04	25	59	1	32	0.9615	0.3516	0.0385	0.6484
≥ 1.04	25	58	1	33	0.9615	0.3626	0.0385	0.6374
≥ 1.04	25	57	1	34	0.9615	0.3736	0.0385	0.6264
≥ 1.04	25	56	1	35	0.9615	0.3846	0.0385	0.6154
≥ 1.05	25	55	1	36	0.9615	0.3956	0.0385	0.6044
≥ 1.06	25	54	1	37	0.9615	0.4066	0.0385	0.5934
≥ 1.07	25	53	1	38	0.9615	0.4176	0.0385	0.5824
≥ 1.07	25	52	1	39	0.9615	0.4286	0.0385	0.5714
≥ 1.08	25	51	1	40	0.9615	0.4396	0.0385	0.5604
≥ 1.08	25	50	1	41	0.9615	0.4505	0.0385	0.5495
≥ 1.09	24	50	2	41	0.9231	0.4505	0.0769	0.5495
≥ 1.10	24	49	2	42	0.9231	0.4615	0.0769	0.5385
≥ 1.10	24	48	2	43	0.9231	0.4725	0.0769	0.5275
≥ 1.10	24	47	2	44	0.9231	0.4835	0.0769	0.5165
≥ 1.11	24	46	2	45	0.9231	0.4945	0.0769	0.5055

2020 Determinants of CCIMT Study: Mantha et al

≥ 1.11	24	45	2	46	0.9231	0.5055	0.0769	0.4945
≥ 1.11	24	44	2	47	0.9231	0.5165	0.0769	0.4835
≥ 1.12	24	43	2	48	0.9231	0.5275	0.0769	0.4725
≥ 1.12	24	42	2	49	0.9231	0.5385	0.0769	0.4615
≥ 1.13	23	42	3	49	0.8846	0.5385	0.1154	0.4615
≥ 1.15	23	41	3	50	0.8846	0.5495	0.1154	0.4505
≥ 1.15	23	40	3	51	0.8846	0.5604	0.1154	0.4396
≥ 1.15	23	39	3	52	0.8846	0.5714	0.1154	0.4286
≥ 1.15	23	38	3	53	0.8846	0.5824	0.1154	0.4176
≥ 1.16	23	37	3	54	0.8846	0.5934	0.1154	0.4066
≥ 1.17	23	36	3	55	0.8846	0.6044	0.1154	0.3956
≥ 1.17	23	35	3	56	0.8846	0.6154	0.1154	0.3846
≥ 1.18	23	34	3	57	0.8846	0.6264	0.1154	0.3736
≥ 1.18	23	33	3	58	0.8846	0.6374	0.1154	0.3626
≥ 1.19	23	32	3	59	0.8846	0.6484	0.1154	0.3516
≥ 1.20	23	31	3	60	0.8846	0.6593	0.1154	0.3407
≥ 1.20	22	31	4	60	0.8462	0.6593	0.1538	0.3407
≥ 1.21	22	30	4	61	0.8462	0.6703	0.1538	0.3297
≥ 1.22	22	29	4	62	0.8462	0.6813	0.1538	0.3187
≥ 1.22	21	29	5	62	0.8077	0.6813	0.1923	0.3187
≥ 1.24	21	28	5	63	0.8077	0.6923	0.1923	0.3077
≥ 1.25	20	28	6	63	0.7692	0.6923	0.2308	0.3077
≥ 1.25	20	27	6	64	0.7692	0.7033	0.2308	0.2967
≥ 1.26	20	26	6	65	0.7692	0.7143	0.2308	0.2857
≥ 1.27	19	26	7	65	0.7308	0.7143	0.2692	0.2857
≥ 1.27	19	25	7	66	0.7308	0.7253	0.2692	0.2747
≥ 1.28	19	24	7	67	0.7308	0.7363	0.2692	0.2637
≥ 1.28	19	23	7	68	0.7308	0.7473	0.2692	0.2527
≥ 1.29	19	22	7	69	0.7308	0.7582	0.2692	0.2418
≥ 1.33	19	21	7	70	0.7308	0.7692	0.2692	0.2308
≥ 1.34	19	20	7	71	0.7308	0.7802	0.2692	0.2198
≥ 1.34	18	20	8	71	0.6923	0.7802	0.3077	0.2198
≥ 1.35	18	19	8	72	0.6923	0.7912	0.3077	0.2088
≥ 1.36	18	18	8	73	0.6923	0.8022	0.3077	0.1978
≥ 1.37	17	18	9	73	0.6538	0.8022	0.3462	0.1978
≥ 1.39	16	18	10	73	0.6154	0.8022	0.3846	0.1978
≥ 1.41	16	17	10	74	0.6154	0.8132	0.3846	0.1868
≥ 1.42	16	16	10	75	0.6154	0.8242	0.3846	0.1758
≥ 1.45	15	16	11	75	0.5769	0.8242	0.4231	0.1758
≥ 1.45	14	16	12	75	0.5385	0.8242	0.4615	0.1758
≥ 1.47	14	15	12	76	0.5385	0.8352	0.4615	0.1648
≥ 1.52	14	14	12	77	0.5385	0.8462	0.4615	0.1538
≥ 1.53	14	13	12	78	0.5385	0.8571	0.4615	0.1429
≥ 1.54	14	12	12	79	0.5385	0.8681	0.4615	0.1319
≥ 1.55	13	12	13	79	0.5000	0.8681	0.5000	0.1319
≥ 1.57	12	12	14	79	0.4615	0.8681	0.5385	0.1319
≥ 1.59	12	11	14	80	0.4615	0.8791	0.5385	0.1209
≥ 1.66	12	10	14	81	0.4615	0.8901	0.5385	0.1099
≥ 1.69	12	9	14	82	0.4615	0.9011	0.5385	0.0989
≥ 1.71	11	9	15	82	0.4231	0.9011	0.5769	0.0989
≥ 1.72	11	8	15	83	0.4231	0.9121	0.5769	0.0879
≥ 1.77	10	8	16	83	0.3846	0.9121	0.6154	0.0879
≥ 1.80	10	7	16	84	0.3846	0.9231	0.6154	0.0769
≥ 1.87	9	7	17	84	0.3462	0.9231	0.6538	0.0769
≥ 1.89	8	7	18	84	0.3077	0.9231	0.6923	0.0769
≥ 1.91	7	7	19	84	0.2692	0.9231	0.7308	0.0769
≥ 1.92	6	7	20	84	0.2308	0.9231	0.7692	0.0769
≥ 1.98	6	6	20	85	0.2308	0.9341	0.7692	0.0659
≥ 2.04	5	6	21	85	0.1923	0.9341	0.8077	0.0659
≥ 2.04	5	5	21	86	0.1923	0.9451	0.8077	0.0549
≥ 2.12	5	4	21	87	0.1923	0.9560	0.8077	0.0440

2020 Determinants of CCIMT Study: Mantha et al

≥ 2.13	4	4	22	87	0.1538	0.9560	0.8462	0.0440
≥ 2.15	4	3	22	88	0.1538	0.9670	0.8462	0.0330
≥ 2.24	4	2	22	89	0.1538	0.9780	0.8462	0.0220
≥ 2.24	3	2	23	89	0.1154	0.9780	0.8846	0.0220
≥ 2.26	2	2	24	89	0.0769	0.9780	0.9231	0.0220
≥ 2.26	1	2	25	89	0.0385	0.9780	0.9615	0.0220
≥ 2.44	1	1	25	90	0.0385	0.9890	0.9615	0.0110
≥ 2.64	1	0	25	91	0.0385	1.0000	0.9615	0.0000

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS
Condition Variable High_Vasc_Age

Definitions:

Cutoff Value indicates the criterion value range that predicts a positive condition.

A is the number of True Positives.

B is the number of False Positives.

C is the number of False Negatives.

D is the number of True Negatives.

TPR is the True Positive Rate or Sensitivity = $A / (A + C)$.

TNR is the True Negative Rate or Specificity = $D / (B + D)$.

FNR is the False Negative Rate or Miss Rate = $C / (A + C)$.

FPR is the False Positive Rate or Fall-out = $B / (B + D)$.

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS
 Condition Variable High_Vasc_Age

TPR (Sensitivity) and TNR (Specificity) Confidence Intervals

Criterion Variable: ModelZs

Cutoff	TPR	95% Confidence Limits		TNR	95% Confidence Limits	
Value	(Sens.)	Lower	Upper	(Spec.)	Lower	Upper
≥ 0.48	1.0000	0.8677	1.0000	0.0000	0.0000	0.0397
≥ 0.57	1.0000	0.8677	1.0000	0.0110	0.0003	0.0597
≥ 0.62	1.0000	0.8677	1.0000	0.0220	0.0027	0.0771
≥ 0.69	1.0000	0.8677	1.0000	0.0330	0.0069	0.0933
≥ 0.70	1.0000	0.8677	1.0000	0.0440	0.0121	0.1087
≥ 0.72	1.0000	0.8677	1.0000	0.0549	0.0181	0.1236
≥ 0.73	1.0000	0.8677	1.0000	0.0659	0.0246	0.1380
≥ 0.79	1.0000	0.8677	1.0000	0.0769	0.0315	0.1521
≥ 0.79	1.0000	0.8677	1.0000	0.0879	0.0387	0.1659
≥ 0.80	1.0000	0.8677	1.0000	0.0989	0.0462	0.1795
≥ 0.80	1.0000	0.8677	1.0000	0.1099	0.0540	0.1928
≥ 0.82	1.0000	0.8677	1.0000	0.1209	0.0619	0.2060
≥ 0.83	1.0000	0.8677	1.0000	0.1319	0.0700	0.2190
≥ 0.85	1.0000	0.8677	1.0000	0.1429	0.0783	0.2319
≥ 0.85	1.0000	0.8677	1.0000	0.1538	0.0867	0.2446
≥ 0.86	1.0000	0.8677	1.0000	0.1648	0.0953	0.2573
≥ 0.87	1.0000	0.8677	1.0000	0.1758	0.1040	0.2698
≥ 0.91	1.0000	0.8677	1.0000	0.1868	0.1128	0.2822
≥ 0.91	1.0000	0.8677	1.0000	0.1978	0.1216	0.2945
≥ 0.92	1.0000	0.8677	1.0000	0.2088	0.1306	0.3067
≥ 0.92	1.0000	0.8677	1.0000	0.2198	0.1397	0.3188
≥ 0.93	1.0000	0.8677	1.0000	0.2308	0.1489	0.3309
≥ 0.95	1.0000	0.8677	1.0000	0.2418	0.1581	0.3428
≥ 0.95	0.9615	0.8036	0.9990	0.2418	0.1581	0.3428
≥ 0.98	0.9615	0.8036	0.9990	0.2527	0.1675	0.3547
≥ 0.99	0.9615	0.8036	0.9990	0.2637	0.1769	0.3665
≥ 1.01	0.9615	0.8036	0.9990	0.2747	0.1863	0.3783
≥ 1.02	0.9615	0.8036	0.9990	0.2857	0.1959	0.3900
≥ 1.02	0.9615	0.8036	0.9990	0.2967	0.2055	0.4016
≥ 1.03	0.9615	0.8036	0.9990	0.3077	0.2151	0.4132
≥ 1.03	0.9615	0.8036	0.9990	0.3187	0.2249	0.4247
≥ 1.04	0.9615	0.8036	0.9990	0.3297	0.2347	0.4361
≥ 1.04	0.9615	0.8036	0.9990	0.3407	0.2445	0.4475
≥ 1.04	0.9615	0.8036	0.9990	0.3516	0.2544	0.4588
≥ 1.04	0.9615	0.8036	0.9990	0.3626	0.2644	0.4701
≥ 1.04	0.9615	0.8036	0.9990	0.3736	0.2744	0.4813
≥ 1.04	0.9615	0.8036	0.9990	0.3846	0.2845	0.4925
≥ 1.05	0.9615	0.8036	0.9990	0.3956	0.2946	0.5036
≥ 1.06	0.9615	0.8036	0.9990	0.4066	0.3048	0.5147
≥ 1.07	0.9615	0.8036	0.9990	0.4176	0.3150	0.5257
≥ 1.07	0.9615	0.8036	0.9990	0.4286	0.3253	0.5366
≥ 1.08	0.9615	0.8036	0.9990	0.4396	0.3356	0.5475
≥ 1.08	0.9615	0.8036	0.9990	0.4505	0.3460	0.5584
≥ 1.09	0.9231	0.7487	0.9905	0.4505	0.3460	0.5584
≥ 1.10	0.9231	0.7487	0.9905	0.4615	0.3564	0.5692
≥ 1.10	0.9231	0.7487	0.9905	0.4725	0.3669	0.5800
≥ 1.10	0.9231	0.7487	0.9905	0.4835	0.3774	0.5907
≥ 1.11	0.9231	0.7487	0.9905	0.4945	0.3880	0.6014
≥ 1.11	0.9231	0.7487	0.9905	0.5055	0.3986	0.6120

2020 Determinants of CCIMT Study: Mantha et al

≥ 1.11	0.9231	0.7487	0.9905	0.5165	0.4093	0.6226
≥ 1.12	0.9231	0.7487	0.9905	0.5275	0.4200	0.6331
≥ 1.12	0.9231	0.7487	0.9905	0.5385	0.4308	0.6436
≥ 1.13	0.8846	0.6985	0.9755	0.5385	0.4308	0.6436
≥ 1.15	0.8846	0.6985	0.9755	0.5495	0.4416	0.6540
≥ 1.15	0.8846	0.6985	0.9755	0.5604	0.4525	0.6644
≥ 1.15	0.8846	0.6985	0.9755	0.5714	0.4634	0.6747
≥ 1.15	0.8846	0.6985	0.9755	0.5824	0.4743	0.6850
≥ 1.16	0.8846	0.6985	0.9755	0.5934	0.4853	0.6952
≥ 1.17	0.8846	0.6985	0.9755	0.6044	0.4964	0.7054
≥ 1.17	0.8846	0.6985	0.9755	0.6154	0.5075	0.7155
≥ 1.18	0.8846	0.6985	0.9755	0.6264	0.5187	0.7256
≥ 1.18	0.8846	0.6985	0.9755	0.6374	0.5299	0.7356
≥ 1.19	0.8846	0.6985	0.9755	0.6484	0.5412	0.7456
≥ 1.20	0.8846	0.6985	0.9755	0.6593	0.5525	0.7555
≥ 1.20	0.8462	0.6513	0.9564	0.6593	0.5525	0.7555
≥ 1.21	0.8462	0.6513	0.9564	0.6703	0.5639	0.7653
≥ 1.22	0.8462	0.6513	0.9564	0.6813	0.5753	0.7751
≥ 1.22	0.8077	0.6065	0.9345	0.6813	0.5753	0.7751
≥ 1.24	0.8077	0.6065	0.9345	0.6923	0.5868	0.7849
≥ 1.25	0.7692	0.5635	0.9103	0.6923	0.5868	0.7849
≥ 1.25	0.7692	0.5635	0.9103	0.7033	0.5984	0.7945
≥ 1.26	0.7692	0.5635	0.9103	0.7143	0.6100	0.8041
≥ 1.27	0.7308	0.5221	0.8843	0.7143	0.6100	0.8041
≥ 1.27	0.7308	0.5221	0.8843	0.7253	0.6217	0.8137
≥ 1.28	0.7308	0.5221	0.8843	0.7363	0.6335	0.8231
≥ 1.28	0.7308	0.5221	0.8843	0.7473	0.6453	0.8325
≥ 1.29	0.7308	0.5221	0.8843	0.7582	0.6572	0.8419
≥ 1.33	0.7308	0.5221	0.8843	0.7692	0.6691	0.8511
≥ 1.34	0.7308	0.5221	0.8843	0.7802	0.6812	0.8603
≥ 1.34	0.6923	0.4821	0.8567	0.7802	0.6812	0.8603
≥ 1.35	0.6923	0.4821	0.8567	0.7912	0.6933	0.8694
≥ 1.36	0.6923	0.4821	0.8567	0.8022	0.7055	0.8784
≥ 1.37	0.6538	0.4433	0.8279	0.8022	0.7055	0.8784
≥ 1.39	0.6154	0.4057	0.7977	0.8022	0.7055	0.8784
≥ 1.41	0.6154	0.4057	0.7977	0.8132	0.7178	0.8872
≥ 1.42	0.6154	0.4057	0.7977	0.8242	0.7302	0.8960
≥ 1.45	0.5769	0.3692	0.7665	0.8242	0.7302	0.8960
≥ 1.45	0.5385	0.3337	0.7341	0.8242	0.7302	0.8960
≥ 1.47	0.5385	0.3337	0.7341	0.8352	0.7427	0.9047
≥ 1.52	0.5385	0.3337	0.7341	0.8462	0.7554	0.9133
≥ 1.53	0.5385	0.3337	0.7341	0.8571	0.7681	0.9217
≥ 1.54	0.5385	0.3337	0.7341	0.8681	0.7810	0.9300
≥ 1.55	0.5000	0.2993	0.7007	0.8681	0.7810	0.9300
≥ 1.57	0.4615	0.2659	0.6663	0.8681	0.7810	0.9300
≥ 1.59	0.4615	0.2659	0.6663	0.8791	0.7940	0.9381
≥ 1.66	0.4615	0.2659	0.6663	0.8901	0.8072	0.9460
≥ 1.69	0.4615	0.2659	0.6663	0.9011	0.8205	0.9538
≥ 1.71	0.4231	0.2335	0.6308	0.9011	0.8205	0.9538
≥ 1.72	0.4231	0.2335	0.6308	0.9121	0.8341	0.9613
≥ 1.77	0.3846	0.2023	0.5943	0.9121	0.8341	0.9613
≥ 1.80	0.3846	0.2023	0.5943	0.9231	0.8479	0.9685
≥ 1.87	0.3462	0.1721	0.5567	0.9231	0.8479	0.9685
≥ 1.89	0.3077	0.1433	0.5179	0.9231	0.8479	0.9685
≥ 1.91	0.2692	0.1157	0.4779	0.9231	0.8479	0.9685
≥ 1.92	0.2308	0.0897	0.4365	0.9231	0.8479	0.9685
≥ 1.98	0.2308	0.0897	0.4365	0.9341	0.8620	0.9754
≥ 2.04	0.1923	0.0655	0.3935	0.9341	0.8620	0.9754
≥ 2.04	0.1923	0.0655	0.3935	0.9451	0.8764	0.9819
≥ 2.12	0.1923	0.0655	0.3935	0.9560	0.8913	0.9879
≥ 2.13	0.1538	0.0436	0.3487	0.9560	0.8913	0.9879

2020 Determinants of CCIMT Study: Mantha et al

≥ 2.15	0.1538	0.0436	0.3487	0.9670	0.9067	0.9931
≥ 2.24	0.1538	0.0436	0.3487	0.9780	0.9229	0.9973
≥ 2.24	0.1154	0.0245	0.3015	0.9780	0.9229	0.9973
≥ 2.26	0.0769	0.0095	0.2513	0.9780	0.9229	0.9973
≥ 2.26	0.0385	0.0010	0.1964	0.9780	0.9229	0.9973
≥ 2.44	0.0385	0.0010	0.1964	0.9890	0.9403	0.9997
≥ 2.64	0.0385	0.0010	0.1964	1.0000	0.9603	1.0000

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS
Condition Variable High_Vasc_Age

Definitions:

Cutoff Value indicates the criterion value range that predicts a positive condition.

TPR is the True Positive Rate or Sensitivity = $A / (A + C)$.

Lower and Upper Confidence Limits form the confidence interval for TPR.

TNR is the True Negative Rate or Specificity = $D / (B + D)$.

Lower and Upper Confidence Limits form the confidence interval for TNR.

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS
 Condition Variable High_Vasc_Age

Counts, PPV, NPV, FOR, FDR

Criterion Variable: ModelZs

Cutoff Value	----- Table Counts -----				PPV (Prec.)	NPV	FOR	FDR
	TPs	FPs	FNs	TNs				
A	B	C	D					
≥ 0.48	26	91	0	0	0.2222			0.7778
≥ 0.57	26	90	0	1	0.2241	1.0000	0.0000	0.7759
≥ 0.62	26	89	0	2	0.2261	1.0000	0.0000	0.7739
≥ 0.69	26	88	0	3	0.2281	1.0000	0.0000	0.7719
≥ 0.70	26	87	0	4	0.2301	1.0000	0.0000	0.7699
≥ 0.72	26	86	0	5	0.2321	1.0000	0.0000	0.7679
≥ 0.73	26	85	0	6	0.2342	1.0000	0.0000	0.7658
≥ 0.79	26	84	0	7	0.2364	1.0000	0.0000	0.7636
≥ 0.79	26	83	0	8	0.2385	1.0000	0.0000	0.7615
≥ 0.80	26	82	0	9	0.2407	1.0000	0.0000	0.7593
≥ 0.80	26	81	0	10	0.2430	1.0000	0.0000	0.7570
≥ 0.82	26	80	0	11	0.2453	1.0000	0.0000	0.7547
≥ 0.83	26	79	0	12	0.2476	1.0000	0.0000	0.7524
≥ 0.85	26	78	0	13	0.2500	1.0000	0.0000	0.7500
≥ 0.85	26	77	0	14	0.2524	1.0000	0.0000	0.7476
≥ 0.86	26	76	0	15	0.2549	1.0000	0.0000	0.7451
≥ 0.87	26	75	0	16	0.2574	1.0000	0.0000	0.7426
≥ 0.91	26	74	0	17	0.2600	1.0000	0.0000	0.7400
≥ 0.91	26	73	0	18	0.2626	1.0000	0.0000	0.7374
≥ 0.92	26	72	0	19	0.2653	1.0000	0.0000	0.7347
≥ 0.92	26	71	0	20	0.2680	1.0000	0.0000	0.7320
≥ 0.93	26	70	0	21	0.2708	1.0000	0.0000	0.7292
≥ 0.95	26	69	0	22	0.2737	1.0000	0.0000	0.7263
≥ 0.95	25	69	1	22	0.2660	0.9565	0.0435	0.7340
≥ 0.98	25	68	1	23	0.2688	0.9583	0.0417	0.7312
≥ 0.99	25	67	1	24	0.2717	0.9600	0.0400	0.7283
≥ 1.01	25	66	1	25	0.2747	0.9615	0.0385	0.7253
≥ 1.02	25	65	1	26	0.2778	0.9630	0.0370	0.7222
≥ 1.02	25	64	1	27	0.2809	0.9643	0.0357	0.7191
≥ 1.03	25	63	1	28	0.2841	0.9655	0.0345	0.7159
≥ 1.03	25	62	1	29	0.2874	0.9667	0.0333	0.7126
≥ 1.04	25	61	1	30	0.2907	0.9677	0.0323	0.7093
≥ 1.04	25	60	1	31	0.2941	0.9688	0.0313	0.7059
≥ 1.04	25	59	1	32	0.2976	0.9697	0.0303	0.7024
≥ 1.04	25	58	1	33	0.3012	0.9706	0.0294	0.6988
≥ 1.04	25	57	1	34	0.3049	0.9714	0.0286	0.6951
≥ 1.04	25	56	1	35	0.3086	0.9722	0.0278	0.6914
≥ 1.05	25	55	1	36	0.3125	0.9730	0.0270	0.6875
≥ 1.06	25	54	1	37	0.3165	0.9737	0.0263	0.6835
≥ 1.07	25	53	1	38	0.3205	0.9744	0.0256	0.6795
≥ 1.07	25	52	1	39	0.3247	0.9750	0.0250	0.6753
≥ 1.08	25	51	1	40	0.3289	0.9756	0.0244	0.6711
≥ 1.08	25	50	1	41	0.3333	0.9762	0.0238	0.6667
≥ 1.09	24	50	2	41	0.3243	0.9535	0.0465	0.6757
≥ 1.10	24	49	2	42	0.3288	0.9545	0.0455	0.6712
≥ 1.10	24	48	2	43	0.3333	0.9556	0.0444	0.6667
≥ 1.10	24	47	2	44	0.3380	0.9565	0.0435	0.6620
≥ 1.11	24	46	2	45	0.3429	0.9574	0.0426	0.6571

2020 Determinants of CCIMT Study: Mantha et al

≥ 1.11	24	45	2	46	0.3478	0.9583	0.0417	0.6522
≥ 1.11	24	44	2	47	0.3529	0.9592	0.0408	0.6471
≥ 1.12	24	43	2	48	0.3582	0.9600	0.0400	0.6418
≥ 1.12	24	42	2	49	0.3636	0.9608	0.0392	0.6364
≥ 1.13	23	42	3	49	0.3538	0.9423	0.0577	0.6462
≥ 1.15	23	41	3	50	0.3594	0.9434	0.0566	0.6406
≥ 1.15	23	40	3	51	0.3651	0.9444	0.0556	0.6349
≥ 1.15	23	39	3	52	0.3710	0.9455	0.0545	0.6290
≥ 1.15	23	38	3	53	0.3770	0.9464	0.0536	0.6230
≥ 1.16	23	37	3	54	0.3833	0.9474	0.0526	0.6167
≥ 1.17	23	36	3	55	0.3898	0.9483	0.0517	0.6102
≥ 1.17	23	35	3	56	0.3966	0.9492	0.0508	0.6034
≥ 1.18	23	34	3	57	0.4035	0.9500	0.0500	0.5965
≥ 1.18	23	33	3	58	0.4107	0.9508	0.0492	0.5893
≥ 1.19	23	32	3	59	0.4182	0.9516	0.0484	0.5818
≥ 1.20	23	31	3	60	0.4259	0.9524	0.0476	0.5741
≥ 1.20	22	31	4	60	0.4151	0.9375	0.0625	0.5849
≥ 1.21	22	30	4	61	0.4231	0.9385	0.0615	0.5769
≥ 1.22	22	29	4	62	0.4314	0.9394	0.0606	0.5686
≥ 1.22	21	29	5	62	0.4200	0.9254	0.0746	0.5800
≥ 1.24	21	28	5	63	0.4286	0.9265	0.0735	0.5714
≥ 1.25	20	28	6	63	0.4167	0.9130	0.0870	0.5833
≥ 1.25	20	27	6	64	0.4255	0.9143	0.0857	0.5745
≥ 1.26	20	26	6	65	0.4348	0.9155	0.0845	0.5652
≥ 1.27	19	26	7	65	0.4222	0.9028	0.0972	0.5778
≥ 1.27	19	25	7	66	0.4318	0.9041	0.0959	0.5682
≥ 1.28	19	24	7	67	0.4419	0.9054	0.0946	0.5581
≥ 1.28	19	23	7	68	0.4524	0.9067	0.0933	0.5476
≥ 1.29	19	22	7	69	0.4634	0.9079	0.0921	0.5366
≥ 1.33	19	21	7	70	0.4750	0.9091	0.0909	0.5250
≥ 1.34	19	20	7	71	0.4872	0.9103	0.0897	0.5128
≥ 1.34	18	20	8	71	0.4737	0.8987	0.1013	0.5263
≥ 1.35	18	19	8	72	0.4865	0.9000	0.1000	0.5135
≥ 1.36	18	18	8	73	0.5000	0.9012	0.0988	0.5000
≥ 1.37	17	18	9	73	0.4857	0.8902	0.1098	0.5143
≥ 1.39	16	18	10	73	0.4706	0.8795	0.1205	0.5294
≥ 1.41	16	17	10	74	0.4848	0.8810	0.1190	0.5152
≥ 1.42	16	16	10	75	0.5000	0.8824	0.1176	0.5000
≥ 1.45	15	16	11	75	0.4839	0.8721	0.1279	0.5161
≥ 1.45	14	16	12	75	0.4667	0.8621	0.1379	0.5333
≥ 1.47	14	15	12	76	0.4828	0.8636	0.1364	0.5172
≥ 1.52	14	14	12	77	0.5000	0.8652	0.1348	0.5000
≥ 1.53	14	13	12	78	0.5185	0.8667	0.1333	0.4815
≥ 1.54	14	12	12	79	0.5385	0.8681	0.1319	0.4615
≥ 1.55	13	12	13	79	0.5200	0.8587	0.1413	0.4800
≥ 1.57	12	12	14	79	0.5000	0.8495	0.1505	0.5000
≥ 1.59	12	11	14	80	0.5217	0.8511	0.1489	0.4783
≥ 1.66	12	10	14	81	0.5455	0.8526	0.1474	0.4545
≥ 1.69	12	9	14	82	0.5714	0.8542	0.1458	0.4286
≥ 1.71	11	9	15	82	0.5500	0.8454	0.1546	0.4500
≥ 1.72	11	8	15	83	0.5789	0.8469	0.1531	0.4211
≥ 1.77	10	8	16	83	0.5556	0.8384	0.1616	0.4444
≥ 1.80	10	7	16	84	0.5882	0.8400	0.1600	0.4118
≥ 1.87	9	7	17	84	0.5625	0.8317	0.1683	0.4375
≥ 1.89	8	7	18	84	0.5333	0.8235	0.1765	0.4667
≥ 1.91	7	7	19	84	0.5000	0.8155	0.1845	0.5000
≥ 1.92	6	7	20	84	0.4615	0.8077	0.1923	0.5385
≥ 1.98	6	6	20	85	0.5000	0.8095	0.1905	0.5000
≥ 2.04	5	6	21	85	0.4545	0.8019	0.1981	0.5455
≥ 2.04	5	5	21	86	0.5000	0.8037	0.1963	0.5000
≥ 2.12	5	4	21	87	0.5556	0.8056	0.1944	0.4444

2020 Determinants of CCIMT Study: Mantha et al

≥ 2.13	4	4	22	87	0.5000	0.7982	0.2018	0.5000
≥ 2.15	4	3	22	88	0.5714	0.8000	0.2000	0.4286
≥ 2.24	4	2	22	89	0.6667	0.8018	0.1982	0.3333
≥ 2.24	3	2	23	89	0.6000	0.7946	0.2054	0.4000
≥ 2.26	2	2	24	89	0.5000	0.7876	0.2124	0.5000
≥ 2.26	1	2	25	89	0.3333	0.7807	0.2193	0.6667
≥ 2.44	1	1	25	90	0.5000	0.7826	0.2174	0.5000
≥ 2.64	1	0	25	91	1.0000	0.7845	0.2155	0.0000

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS
Condition Variable High_Vasc_Age

Definitions:

Cutoff Value indicates the criterion value range that predicts a positive condition.

A is the number of True Positives.

B is the number of False Positives.

C is the number of False Negatives.

D is the number of True Negatives.

PPV is the Positive Predictive Value or Precision = $A / (A + B)$.

NPV is the Negative Predictive Value = $D / (C + D)$.

FOR is the False Omission Rate = $C / (C + D)$.

FDR is the False Discovery Rate = $B / (A + B)$.

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS

Condition Variable High_Vasc_Age

Counts, Proportion Correctly Classified, Proportion Incorrectly Classified, Estimated Prevalence —————

Criterion Variable: ModelZs

Estimated Prevalence = 26 / 117 = 0.2222

Estimated Prevalence is the proportion of the sample with a positive condition of 1, or $(A + C) / (A + B + C + D)$ for all cutoff values. The estimated prevalence should only be used as a valid estimate of the population prevalence when the entire sample is a random sample of the population.

Cutoff Value	----- Table Counts -----				Proportion Correctly Classified	Proportion Incorrectly Classified
	TPs A	FPs B	FNs C	TNs D		
≥ 0.48	26	91	0	0	0.2222	0.7778
≥ 0.57	26	90	0	1	0.2308	0.7692
≥ 0.62	26	89	0	2	0.2393	0.7607
≥ 0.69	26	88	0	3	0.2479	0.7521
≥ 0.70	26	87	0	4	0.2564	0.7436
≥ 0.72	26	86	0	5	0.2650	0.7350
≥ 0.73	26	85	0	6	0.2735	0.7265
≥ 0.79	26	84	0	7	0.2821	0.7179
≥ 0.79	26	83	0	8	0.2906	0.7094
≥ 0.80	26	82	0	9	0.2991	0.7009
≥ 0.80	26	81	0	10	0.3077	0.6923
≥ 0.82	26	80	0	11	0.3162	0.6838
≥ 0.83	26	79	0	12	0.3248	0.6752
≥ 0.85	26	78	0	13	0.3333	0.6667
≥ 0.85	26	77	0	14	0.3419	0.6581
≥ 0.86	26	76	0	15	0.3504	0.6496
≥ 0.87	26	75	0	16	0.3590	0.6410
≥ 0.91	26	74	0	17	0.3675	0.6325
≥ 0.91	26	73	0	18	0.3761	0.6239
≥ 0.92	26	72	0	19	0.3846	0.6154
≥ 0.92	26	71	0	20	0.3932	0.6068
≥ 0.93	26	70	0	21	0.4017	0.5983
≥ 0.95	26	69	0	22	0.4103	0.5897
≥ 0.95	25	69	1	22	0.4017	0.5983
≥ 0.98	25	68	1	23	0.4103	0.5897
≥ 0.99	25	67	1	24	0.4188	0.5812
≥ 1.01	25	66	1	25	0.4274	0.5726
≥ 1.02	25	65	1	26	0.4359	0.5641
≥ 1.02	25	64	1	27	0.4444	0.5556
≥ 1.03	25	63	1	28	0.4530	0.5470
≥ 1.03	25	62	1	29	0.4615	0.5385
≥ 1.04	25	61	1	30	0.4701	0.5299
≥ 1.04	25	60	1	31	0.4786	0.5214
≥ 1.04	25	59	1	32	0.4872	0.5128
≥ 1.04	25	58	1	33	0.4957	0.5043
≥ 1.04	25	57	1	34	0.5043	0.4957
≥ 1.04	25	56	1	35	0.5128	0.4872
≥ 1.05	25	55	1	36	0.5214	0.4786
≥ 1.06	25	54	1	37	0.5299	0.4701
≥ 1.07	25	53	1	38	0.5385	0.4615
≥ 1.07	25	52	1	39	0.5470	0.4530
≥ 1.08	25	51	1	40	0.5556	0.4444
≥ 1.08	25	50	1	41	0.5641	0.4359
≥ 1.09	24	50	2	41	0.5556	0.4444

2020 Determinants of CCIMT Study: Mantha et al

≥ 1.10	24	49	2	42	0.5641	0.4359
≥ 1.10	24	48	2	43	0.5726	0.4274
≥ 1.10	24	47	2	44	0.5812	0.4188
≥ 1.11	24	46	2	45	0.5897	0.4103
≥ 1.11	24	45	2	46	0.5983	0.4017
≥ 1.11	24	44	2	47	0.6068	0.3932
≥ 1.12	24	43	2	48	0.6154	0.3846
≥ 1.12	24	42	2	49	0.6239	0.3761
≥ 1.13	23	42	3	49	0.6154	0.3846
≥ 1.15	23	41	3	50	0.6239	0.3761
≥ 1.15	23	40	3	51	0.6325	0.3675
≥ 1.15	23	39	3	52	0.6410	0.3590
≥ 1.15	23	38	3	53	0.6496	0.3504
≥ 1.16	23	37	3	54	0.6581	0.3419
≥ 1.17	23	36	3	55	0.6667	0.3333
≥ 1.17	23	35	3	56	0.6752	0.3248
≥ 1.18	23	34	3	57	0.6838	0.3162
≥ 1.18	23	33	3	58	0.6923	0.3077
≥ 1.19	23	32	3	59	0.7009	0.2991
≥ 1.20	23	31	3	60	0.7094	0.2906
≥ 1.20	22	31	4	60	0.7009	0.2991
≥ 1.21	22	30	4	61	0.7094	0.2906
≥ 1.22	22	29	4	62	0.7179	0.2821
≥ 1.22	21	29	5	62	0.7094	0.2906
≥ 1.24	21	28	5	63	0.7179	0.2821
≥ 1.25	20	28	6	63	0.7094	0.2906
≥ 1.25	20	27	6	64	0.7179	0.2821
≥ 1.26	20	26	6	65	0.7265	0.2735
≥ 1.27	19	26	7	65	0.7179	0.2821
≥ 1.27	19	25	7	66	0.7265	0.2735
≥ 1.28	19	24	7	67	0.7350	0.2650
≥ 1.28	19	23	7	68	0.7436	0.2564
≥ 1.29	19	22	7	69	0.7521	0.2479
≥ 1.33	19	21	7	70	0.7607	0.2393
≥ 1.34	19	20	7	71	0.7692	0.2308
≥ 1.34	18	20	8	71	0.7607	0.2393
≥ 1.35	18	19	8	72	0.7692	0.2308
≥ 1.36	18	18	8	73	0.7778	0.2222
≥ 1.37	17	18	9	73	0.7692	0.2308
≥ 1.39	16	18	10	73	0.7607	0.2393
≥ 1.41	16	17	10	74	0.7692	0.2308
≥ 1.42	16	16	10	75	0.7778	0.2222
≥ 1.45	15	16	11	75	0.7692	0.2308
≥ 1.45	14	16	12	75	0.7607	0.2393
≥ 1.47	14	15	12	76	0.7692	0.2308
≥ 1.52	14	14	12	77	0.7778	0.2222
≥ 1.53	14	13	12	78	0.7863	0.2137
≥ 1.54	14	12	12	79	0.7949	0.2051
≥ 1.55	13	12	13	79	0.7863	0.2137
≥ 1.57	12	12	14	79	0.7778	0.2222
≥ 1.59	12	11	14	80	0.7863	0.2137
≥ 1.66	12	10	14	81	0.7949	0.2051
≥ 1.69	12	9	14	82	0.8034	0.1966
≥ 1.71	11	9	15	82	0.7949	0.2051
≥ 1.72	11	8	15	83	0.8034	0.1966
≥ 1.77	10	8	16	83	0.7949	0.2051
≥ 1.80	10	7	16	84	0.8034	0.1966
≥ 1.87	9	7	17	84	0.7949	0.2051
≥ 1.89	8	7	18	84	0.7863	0.2137
≥ 1.91	7	7	19	84	0.7778	0.2222
≥ 1.92	6	7	20	84	0.7692	0.2308

2020 Determinants of CCIMT Study: Mantha et al

≥ 1.98	6	6	20	85	0.7778	0.2222
≥ 2.04	5	6	21	85	0.7692	0.2308
≥ 2.04	5	5	21	86	0.7778	0.2222
≥ 2.12	5	4	21	87	0.7863	0.2137
≥ 2.13	4	4	22	87	0.7778	0.2222
≥ 2.15	4	3	22	88	0.7863	0.2137
≥ 2.24	4	2	22	89	0.7949	0.2051
≥ 2.24	3	2	23	89	0.7863	0.2137
≥ 2.26	2	2	24	89	0.7778	0.2222
≥ 2.26	1	2	25	89	0.7692	0.2308
≥ 2.44	1	1	25	90	0.7778	0.2222
≥ 2.64	1	0	25	91	0.7863	0.2137

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS
Condition Variable High_Vasc_Age

Definitions:

Cutoff Value indicates the criterion value range that predicts a positive condition.

A is the number of True Positives.

B is the number of False Positives.

C is the number of False Negatives.

D is the number of True Negatives.

Proportion Correctly Classified or Accuracy = $(A + D) / (A + B + C + D)$.

Proportion Incorrectly Classified = $(B + C) / (A + B + C + D)$.

2020 Determinants of CCIMT Study: Mantha et al

NCSS 12.0.10

01-03-2021 09:42:23

11

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS

Condition Variable High_Vasc_Age

Counts, Youden Index, Sensitivity + Specificity, Distance to Corner, LR+, LR-, DOR

Criterion Variable: ModelZs

Cutoff Value	----- Table Counts -----				Youden Index	Sens. + Spec.	Dist. to Corner	LR+	LR-	DOR (LR+/LR-)
	TPs A	FPs B	FNs C	TNs D						
≥ 0.48	26	91	0	0	0.0000	1.0000	1.0000	1.0000		
≥ 0.57	26	90	0	1	0.0110	1.0110	0.9890	1.0111	0.0000	
≥ 0.62	26	89	0	2	0.0220	1.0220	0.9780	1.0225	0.0000	
≥ 0.69	26	88	0	3	0.0330	1.0330	0.9670	1.0341	0.0000	
≥ 0.70	26	87	0	4	0.0440	1.0440	0.9560	1.0460	0.0000	
≥ 0.72	26	86	0	5	0.0549	1.0549	0.9451	1.0581	0.0000	
≥ 0.73	26	85	0	6	0.0659	1.0659	0.9341	1.0706	0.0000	
≥ 0.79	26	84	0	7	0.0769	1.0769	0.9231	1.0833	0.0000	
≥ 0.79	26	83	0	8	0.0879	1.0879	0.9121	1.0964	0.0000	
≥ 0.80	26	82	0	9	0.0989	1.0989	0.9011	1.1098	0.0000	
≥ 0.80	26	81	0	10	0.1099	1.1099	0.8901	1.1235	0.0000	
≥ 0.82	26	80	0	11	0.1209	1.1209	0.8791	1.1375	0.0000	
≥ 0.83	26	79	0	12	0.1319	1.1319	0.8681	1.1519	0.0000	
≥ 0.85	26	78	0	13	0.1429	1.1429	0.8571	1.1667	0.0000	
≥ 0.85	26	77	0	14	0.1538	1.1538	0.8462	1.1818	0.0000	
≥ 0.86	26	76	0	15	0.1648	1.1648	0.8352	1.1974	0.0000	
≥ 0.87	26	75	0	16	0.1758	1.1758	0.8242	1.2133	0.0000	
≥ 0.91	26	74	0	17	0.1868	1.1868	0.8132	1.2297	0.0000	
≥ 0.91	26	73	0	18	0.1978	1.1978	0.8022	1.2466	0.0000	
≥ 0.92	26	72	0	19	0.2088	1.2088	0.7912	1.2639	0.0000	
≥ 0.92	26	71	0	20	0.2198	1.2198	0.7802	1.2817	0.0000	
≥ 0.93	26	70	0	21	0.2308	1.2308	0.7692	1.3000	0.0000	
≥ 0.95	26	69	0	22	0.2418	1.2418	0.7582	1.3188	0.0000	
≥ 0.95	25	69	1	22	0.2033	1.2033	0.7592	1.2681	0.1591	7.9710
≥ 0.98	25	68	1	23	0.2143	1.2143	0.7482	1.2868	0.1522	8.4559
≥ 0.99	25	67	1	24	0.2253	1.2253	0.7373	1.3060	0.1458	8.9552
≥ 1.01	25	66	1	25	0.2363	1.2363	0.7263	1.3258	0.1400	9.4697
≥ 1.02	25	65	1	26	0.2473	1.2473	0.7153	1.3462	0.1346	10.0000
≥ 1.02	25	64	1	27	0.2582	1.2582	0.7043	1.3672	0.1296	10.5469
≥ 1.03	25	63	1	28	0.2692	1.2692	0.6934	1.3889	0.1250	11.1111
≥ 1.03	25	62	1	29	0.2802	1.2802	0.6824	1.4113	0.1207	11.6935
≥ 1.04	25	61	1	30	0.2912	1.2912	0.6714	1.4344	0.1167	12.2951
≥ 1.04	25	60	1	31	0.3022	1.3022	0.6605	1.4583	0.1129	12.9167
≥ 1.04	25	59	1	32	0.3132	1.3132	0.6495	1.4831	0.1094	13.5593
≥ 1.04	25	58	1	33	0.3242	1.3242	0.6385	1.5086	0.1061	14.2241
≥ 1.04	25	57	1	34	0.3352	1.3352	0.6276	1.5351	0.1029	14.9123
≥ 1.04	25	56	1	35	0.3462	1.3462	0.6166	1.5625	0.1000	15.6250
≥ 1.05	25	55	1	36	0.3571	1.3571	0.6056	1.5909	0.0972	16.3636
≥ 1.06	25	54	1	37	0.3681	1.3681	0.5947	1.6204	0.0946	17.1296
≥ 1.07	25	53	1	38	0.3791	1.3791	0.5837	1.6509	0.0921	17.9245
≥ 1.07	25	52	1	39	0.3901	1.3901	0.5727	1.6827	0.0897	18.7500
≥ 1.08	25	51	1	40	0.4011	1.4011	0.5618	1.7157	0.0875	19.6078
≥ 1.08	25	50	1	41	0.4121	1.4121	0.5508	1.7500	0.0854	20.5000
≥ 1.09	24	50	2	41	0.3736	1.3736	0.5548	1.6800	0.1707	9.8400
≥ 1.10	24	49	2	42	0.3846	1.3846	0.5439	1.7143	0.1667	10.2857
≥ 1.10	24	48	2	43	0.3956	1.3956	0.5331	1.7500	0.1628	10.7500
≥ 1.10	24	47	2	44	0.4066	1.4066	0.5222	1.7872	0.1591	11.2340
≥ 1.11	24	46	2	45	0.4176	1.4176	0.5113	1.8261	0.1556	11.7391

2020 Determinants of CCIMT Study: Mantha et al

≥ 1.11	24	45	2	46	0.4286	1.4286	0.5005	1.8667	0.1522	12.2667
≥ 1.11	24	44	2	47	0.4396	1.4396	0.4896	1.9091	0.1489	12.8182
≥ 1.12	24	43	2	48	0.4505	1.4505	0.4787	1.9535	0.1458	13.3953
≥ 1.12	24	42	2	49	0.4615	1.4615	0.4679	2.0000	0.1429	14.0000
≥ 1.13	23	42	3	49	0.4231	1.4231	0.4757	1.9167	0.2143	8.9444
≥ 1.15	23	41	3	50	0.4341	1.4341	0.4651	1.9634	0.2100	9.3496
≥ 1.15	23	40	3	51	0.4451	1.4451	0.4545	2.0125	0.2059	9.7750
≥ 1.15	23	39	3	52	0.4560	1.4560	0.4438	2.0641	0.2019	10.2222
≥ 1.15	23	38	3	53	0.4670	1.4670	0.4332	2.1184	0.1981	10.6930
≥ 1.16	23	37	3	54	0.4780	1.4780	0.4226	2.1757	0.1944	11.1892
≥ 1.17	23	36	3	55	0.4890	1.4890	0.4121	2.2361	0.1909	11.7130
≥ 1.17	23	35	3	56	0.5000	1.5000	0.4016	2.3000	0.1875	12.2667
≥ 1.18	23	34	3	57	0.5110	1.5110	0.3910	2.3676	0.1842	12.8529
≥ 1.18	23	33	3	58	0.5220	1.5220	0.3806	2.4394	0.1810	13.4747
≥ 1.19	23	32	3	59	0.5330	1.5330	0.3701	2.5156	0.1780	14.1354
≥ 1.20	23	31	3	60	0.5440	1.5440	0.3597	2.5968	0.1750	14.8387
≥ 1.20	22	31	4	60	0.5055	1.5055	0.3738	2.4839	0.2333	10.6452
≥ 1.21	22	30	4	61	0.5165	1.5165	0.3638	2.5667	0.2295	11.1833
≥ 1.22	22	29	4	62	0.5275	1.5275	0.3539	2.6552	0.2258	11.7586
≥ 1.22	21	29	5	62	0.4890	1.4890	0.3722	2.5345	0.2823	8.9793
≥ 1.24	21	28	5	63	0.5000	1.5000	0.3628	2.6250	0.2778	9.4500
≥ 1.25	20	28	6	63	0.4615	1.4615	0.3846	2.5000	0.3333	7.5000
≥ 1.25	20	27	6	64	0.4725	1.4725	0.3759	2.5926	0.3281	7.9012
≥ 1.26	20	26	6	65	0.4835	1.4835	0.3673	2.6923	0.3231	8.3333
≥ 1.27	19	26	7	65	0.4451	1.4451	0.3926	2.5577	0.3769	6.7857
≥ 1.27	19	25	7	66	0.4560	1.4560	0.3847	2.6600	0.3712	7.1657
≥ 1.28	19	24	7	67	0.4670	1.4670	0.3769	2.7708	0.3657	7.5774
≥ 1.28	19	23	7	68	0.4780	1.4780	0.3693	2.8913	0.3603	8.0248
≥ 1.29	19	22	7	69	0.4890	1.4890	0.3618	3.0227	0.3551	8.5130
≥ 1.33	19	21	7	70	0.5000	1.5000	0.3546	3.1667	0.3500	9.0476
≥ 1.34	19	20	7	71	0.5110	1.5110	0.3475	3.3250	0.3451	9.6357
≥ 1.34	18	20	8	71	0.4725	1.4725	0.3781	3.1500	0.3944	7.9875
≥ 1.35	18	19	8	72	0.4835	1.4835	0.3718	3.3158	0.3889	8.5263
≥ 1.36	18	18	8	73	0.4945	1.4945	0.3658	3.5000	0.3836	9.1250
≥ 1.37	17	18	9	73	0.4560	1.4560	0.3987	3.3056	0.4315	7.6605
≥ 1.39	16	18	10	73	0.4176	1.4176	0.4325	3.1111	0.4795	6.4889
≥ 1.41	16	17	10	74	0.4286	1.4286	0.4276	3.2941	0.4730	6.9647
≥ 1.42	16	16	10	75	0.4396	1.4396	0.4229	3.5000	0.4667	7.5000
≥ 1.45	15	16	11	75	0.4011	1.4011	0.4582	3.2813	0.5133	6.3920
≥ 1.45	14	16	12	75	0.3626	1.3626	0.4939	3.0625	0.5600	5.4688
≥ 1.47	14	15	12	76	0.3736	1.3736	0.4901	3.2667	0.5526	5.9111
≥ 1.52	14	14	12	77	0.3846	1.3846	0.4865	3.5000	0.5455	6.4167
≥ 1.53	14	13	12	78	0.3956	1.3956	0.4831	3.7692	0.5385	7.0000
≥ 1.54	14	12	12	79	0.4066	1.4066	0.4800	4.0833	0.5316	7.6806
≥ 1.55	13	12	13	79	0.3681	1.3681	0.5171	3.7917	0.5759	6.5833
≥ 1.57	12	12	14	79	0.3297	1.3297	0.5544	3.5000	0.6203	5.6429
≥ 1.59	12	11	14	80	0.3407	1.3407	0.5519	3.8182	0.6125	6.2338
≥ 1.66	12	10	14	81	0.3516	1.3516	0.5496	4.2000	0.6049	6.9429
≥ 1.69	12	9	14	82	0.3626	1.3626	0.5475	4.6667	0.5976	7.8095
≥ 1.71	11	9	15	82	0.3242	1.3242	0.5853	4.2778	0.6402	6.6815
≥ 1.72	11	8	15	83	0.3352	1.3352	0.5836	4.8125	0.6325	7.6083
≥ 1.77	10	8	16	83	0.2967	1.2967	0.6216	4.3750	0.6747	6.4844
≥ 1.80	10	7	16	84	0.3077	1.3077	0.6202	5.0000	0.6667	7.5000
≥ 1.87	9	7	17	84	0.2692	1.2692	0.6584	4.5000	0.7083	6.3529
≥ 1.89	8	7	18	84	0.2308	1.2308	0.6966	4.0000	0.7500	5.3333
≥ 1.91	7	7	19	84	0.1923	1.1923	0.7348	3.5000	0.7917	4.4211
≥ 1.92	6	7	20	84	0.1538	1.1538	0.7731	3.0000	0.8333	3.6000
≥ 1.98	6	6	20	85	0.1648	1.1648	0.7721	3.5000	0.8235	4.2500
≥ 2.04	5	6	21	85	0.1264	1.1264	0.8104	2.9167	0.8647	3.3730
≥ 2.04	5	5	21	86	0.1374	1.1374	0.8096	3.5000	0.8547	4.0952
≥ 2.12	5	4	21	87	0.1484	1.1484	0.8089	4.3750	0.8448	5.1786

2020 Determinants of CCIMT Study: Mantha et al

≥ 2.13	4	4	22	87	0.1099	1.1099	0.8473	3.5000	0.8851	3.9545
≥ 2.15	4	3	22	88	0.1209	1.1209	0.8468	4.6667	0.8750	5.3333
≥ 2.24	4	2	22	89	0.1319	1.1319	0.8464	7.0000	0.8652	8.0909
≥ 2.24	3	2	23	89	0.0934	1.0934	0.8849	5.2500	0.9045	5.8043
≥ 2.26	2	2	24	89	0.0549	1.0549	0.9233	3.5000	0.9438	3.7083
≥ 2.26	1	2	25	89	0.0165	1.0165	0.9618	1.7500	0.9831	1.7800
≥ 2.44	1	1	25	90	0.0275	1.0275	0.9616	3.5000	0.9722	3.6000
≥ 2.64	1	0	25	91	0.0385	1.0385	0.9615		0.9615	

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS
 Condition Variable High_Vasc_Age

Definitions:

Cutoff Value indicates the criterion value range that predicts a positive condition.

A is the number of True Positives.

B is the number of False Positives.

C is the number of False Negatives.

D is the number of True Negatives.

Youden Index is the Sensitivity + Specificity - 1.

Sensitivity + Specificity is the True Positive Rate plus the True Negative Rate.

Distance to Corner is the distance from the top left corner of the ROC curve to the point on the ROC curve.

LR+ is the Positive Likelihood Ratio, or the ratio of TPR (Sensitivity) to FPR (1 - Specificity).

LR- is the Negative Likelihood Ratio, or the ratio of FNR to TNR.

DOR is the Diagnostic Odds Ratio, or the ratio of LR+ to LR-.

Area Under Curve Analysis (Empirical Estimation)

Estimated Prevalence = $26 / 117 = 0.2222$

Estimated Prevalence is the proportion of the sample with a positive condition of 1. The estimated prevalence should only be used as a valid estimate of the population prevalence when the entire sample is a random sample of the population.

Criterion	Count	AUC	Standard Error	Z-Value	Upper	95% Confidence Limits	
				to Test	1-Sided	Lower	Upper
				AUC > 0.5	P-Value		
ModelZs	117	0.8107	0.0443	7.015	0.0000	0.7043	0.8814

Definitions:

Criterion is the Criterion Variable containing the scores of the individuals.

Count is the number of the individuals used in the analysis.

AUC is the area under the ROC curve using the empirical (trapezoidal) approach.

Standard Error is the standard error of the AUC estimate.

Z-Value is the Z-score for testing the designated hypothesis test.


P-Value is the probability level associated with the Z-Value.

The Lower and Upper Confidence Limits form the confidence interval for AUC.

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS
Condition Variable High_Vasc_Age

ROC Plot Section



The plot can be made to contain the empirical ROC curve, the Binormal ROC curve, or both, by making the proper selection after clicking the ROC Plot Format button.

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS
 Condition Variable High_Vasc_Age

Procedure Input Settings

Autosave Inactive

Variables Tab

-- Variables -----
 .. Condition Variable
 Condition Variable: High_Vasc_Age
 Positive Condition Value: 1
 .. Criterion Variable(s)
 Criterion Variable(s): ModelZs
 Criterion Direction: Higher values indicate a Positive Condition
 .. Frequency (Count) Variable
 Frequency Variable: <Empty>

Cutoff Reports Tab

-- Cutoff Values Reports -----
 Cutoff Value List: Data
 .. Common Rates and Indices for each Cutoff Value
 Counts, TPR (Sensitivity), TNR (Specificity),
 PPV, Accuracy, TPR + TNR, Prevalence Checked
 .. Rates for each Cutoff Value assuming a True Condition
 Counts, TPR (Sensitivity), TNR (Specificity), FNR Checked
 (Miss Rate), FPR (Fall-out)
 Confidence Intervals for TPR (Sensitivity) and Checked
 TNR (Specificity)
 Confidence Intervals for FNR (Miss Rate) and FPR Unchecked
 (Fall-out)
 .. Rates for each Cutoff Value assuming a Predicted Condition
 Counts, PPV (Precision), NPV, FOR, FDR Checked
 Confidence Intervals for PPV (Precision) and NPV Unchecked
 Confidence Intervals for FOR and FDR Unchecked
 PPV and NPV adjusted for Known Prevalence Unchecked
 .. Whole Table Rates for each Cutoff Value
 Counts, Proportion Correctly Classified, Checked
 Proportion Incorrectly Classified, Estimated
 Prevalence
 Confidence Intervals for Prop. Correctly Unchecked
 Classified, Prop. Incorrectly Classified, Est.
 Prevalence
 .. Other Diagnostic Accuracy Indices for each Cutoff Value
 Counts, Youden Index, Sensitivity + Specificity, Checked
 Distance to Corner, LR+, LR-, DOR
 Rates from Binormal Estimation Unchecked
 Cost Analysis Unchecked

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS
 Condition Variable High_Vasc_Age

Procedure Input Settings (Continued)**AUC Reports Tab**

-- AUC Reports -----
 Area Under Curve (AUC) Analysis (Empirical Estimation) Checked
 Area Under Curve (AUC) Analysis (Binormal Estimation) Unchecked
 .. AUC Test Details -----
 Test Direction: Upper One-Sided
 Null Hypothesis Value: H0: AUC = 0.5

Report Options Tab

-- Confidence Level -----
 Confidence Level: 95
 .. Report Options -----
 Label Length for New Line: 15
 Show Definitions and Notes Checked
 Precision: Single
 Variable Names: Names
 .. Decimal Places -----
 Cutoffs: 2
 Rates and Proportions: 4
 Confidence Level: Auto (Up to 7)
 Ratios: 4
 AUC: 4
 P-Values: 4
 Z-Values: 3
 .. Page Title -----
 Report Page Title: <Empty>

Plots Tab

-- Select Plots -----
 ROC Plot Checked
 Binormal Line Resolution: 200

Storage Tab

-- Criterion Values for Storage -----
 Criterion Value (Cutoff) List for Storage: Data

ROC Report

Dataset ...\\2020_CCIMT_Data_NCSS_Final1.NCSS
Condition Variable High_Vasc_Age

Procedure Input Settings (Continued)**Storage Tab (Continued)**

-- Storage Columns -----

Store Criterion Variable Name in:	<Empty>
Store Criterion Value in:	<Empty>
Store Sensitivity in:	<Empty>
Store Specificity in:	<Empty>
Store PPV in:	<Empty>
Store NPV in:	<Empty>
Store Prev. Adj. PPV in:	<Empty>
Store Prev. Adj. NPV in:	<Empty>
Store Proportion Correctly Classified in:	<Empty>
Store Youden Index in:	<Empty>
Store Sensitivity + Specificity in:	<Empty>
Store Distance to Corner in:	<Empty>
Store LR+ in:	<Empty>
Store LR- in:	<Empty>
Store DOR in:	<Empty>